


USE Browser(IE chrome) Login HIKVISION NVR,
Click -"System" -> "Camera Management" -> "Custeam Protocol"

The screenshot displays the Hikvision NVR Configuration interface. The top navigation bar includes 'Live View', 'Playback', 'Picture', 'Application', and 'Configuration' (highlighted in red). The user is logged in as 'admin'. The left sidebar shows a menu with 'System' selected, and 'Camera Management' highlighted in red. The main content area is titled 'IP Camera' and contains a table of camera configurations. The 'Custom Protocol' button is highlighted with a yellow box, and a green arrow points to it.

Channel No.	Camera Name	IP Address	Channel No.	Management Port	Security	Status	Protocol	Connect
D1	Hikvision PTZ	192.168.254.2	1	8000	N/A	Offline(IP camera...	HIKVISION	
D2	IPCamera 02	192.168.254.27	1	8000	N/A	Offline(IP camera...	HIKVISION	
D3	IPCamera 03	192.168.254.4	1	8000	N/A	Offline(IP camera...	HIKVISION	
D4	IPCamera 04	192.168.254.5	1	8000	N/A	Offline(IP camera...	HIKVISION	
D5	IPCamera 05	192.168.254.6	1	8000	N/A	Offline(IP camera...	HIKVISION	
D6	IPCamera 06	192.168.254.7	1	8000	N/A	Offline(IP camera...	HIKVISION	
D7	IPCamera 07	192.168.254.8	1	8000	N/A	Offline(IP camera...	HIKVISION	
D8	IPCamera 08	192.168.254.9	1	8000	N/A	Offline(IP camera...	HIKVISION	
D9	IPCamera 09	192.168.254.10	1	8000	N/A	Offline(IP camera...	HIKVISION	
D10	IPCamera 10	192.168.254.11	1	8000	N/A	Offline(IP camera...	HIKVISION	
D11	IPCamera 11	192.168.254.12	1	8000	N/A	Offline(IP camera...	HIKVISION	
D12	IPCamera 12	192.168.254.13	1	8000	N/A	Offline(IP camera...	HIKVISION	

Total 24 Items 1/1

©2020 Hikvision Digital Technology Co., Ltd. All Rights Reserved



- 1: Custom protocol 1, (Each channel needs to be added once)
- 2: Decoder CH 1 (or other name with your mind)
- 4: RTSP
- 5: Auto

6: user=admin&password=&channel=1&stream=0.sdp?real_stream

user=admin&password=&channel=1&stream=0.sdp?real_stream

↑ username ↑ password ↑ channel ↑ Stream

0 Main stream
1 Sub stream

1
2
3
4


Click "Add"

The screenshot displays the Hikvision web interface's Configuration section, specifically the IP Camera management page. The interface includes a top navigation bar with options like Live View, Playback, Picture, Application, and Configuration. A left sidebar lists various system settings, with Camera Management highlighted. The main content area shows a table of IP cameras and a toolbar with buttons for Add, Modify, Delete, Quick Add, Custom Protocol, and Activation. A red box highlights the 'Add' button, and a green arrow points to it from below. The table lists 12 cameras (D1-D12) with their respective channel numbers, names, IP addresses, and management ports.

<input type="checkbox"/>	Channel No.	Camera Name	IP Address	Channel No.	Management Port	Security	Status	Protocol	Connect
<input type="checkbox"/>	D1	Hikvision PTZ	192.168.254.2	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D2	IPCamera 02	192.168.254.27	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D3	IPCamera 03	192.168.254.4	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D4	IPCamera 04	192.168.254.5	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D5	IPCamera 05	192.168.254.6	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D6	IPCamera 06	192.168.254.7	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D7	IPCamera 07	192.168.254.8	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D8	IPCamera 08	192.168.254.9	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D9	IPCamera 09	192.168.254.10	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D10	IPCamera 10	192.168.254.11	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D11	IPCamera 11	192.168.254.12	1	8000	N/A	Offline(IP camera...	HIKVISION	
<input type="checkbox"/>	D12	IPCamera 12	192.168.254.13	1	8000	N/A	Offline(IP camera...	HIKVISION	

Total 24 Items 1/1

©2020 Hikvision Digital Technology Co., Ltd. All Rights Reserved



1: Encoder IP address (Default is :192.168.1.10)

2: protocol Name Same as Previous step (Decoder CH 1)

Username,password,confirm 1 (other name with your mind)